

Counting with Combined Splitting and Capture-Recapture Methods

Paul Dupuis^a

Brown University, Providence, USA

Bahar Kaynar^b Ad Ridder^d

Vrije University, Amsterdam, Netherlands

Reuven Rubinstein^c Radislav Vaisman

Technion, Haifa, Israel

March 5, 2012

Abstract

We apply the splitting method to three well-known counting problems, namely 3-SAT, random graphs with prescribed degrees, and binary contingency tables. We present an enhanced version of the splitting method based on the capture-recapture technique, and show by experiments the superiority of this technique for SAT problems in terms of variance of the associated estimators, and speed of the algorithms.

Keywords. Counting, Gibbs Sampler, Capture-Recapture, Splitting.

1 Introduction

In this paper we apply the splitting method introduced in Botev and Kroese [4] to a variety of counting problems in the class $\#P$ -complete. The classes $\#P$ and $\#P$ -complete have been introduced by Valiant [18] in the following way. Given any

^aResearch supported by AFOSR grant FA9550-09-0378.

^bResearch supported by NWO grant 400-06-044.

^cResearch supported by BSF(Binational Science Foundation) grant 2008482, and by NWO grant 040-11-168.

^dCorresponding author. Department of Econometrics and Operations Research; Vrije University Amsterdam; Netherlands. Email address: `ad.ridder@vu.nl`

decision problem in the class NP, one can formulate the corresponding counting problem which asks for the total number of solutions for a given instance of the problem. The set of all these counting problems determines the complexity class #P. Clearly, a #P problem is at least as hard as its corresponding NP problem. In this paper we consider #P-complete problems. Completeness is defined similarly as for the decision problems: a problem is #P-complete if it is in #P, and if every #P problem can be reduced to it in polynomial counting reduction. This means that exact solutions to these problems cannot be obtained in polynomial time, and accordingly, our study focuses on approximation algorithms.

As an example, the satisfiability problem—commonly abbreviated to SAT—is well-known to be NP-complete. Its associated counting problem is denoted by #SAT for which is proved that it is #P-complete [18]. For more background on the complexity theory of decision and counting problems we refer to Papadimitriou [14].

The proposed splitting algorithm for approximate counting is a randomized one. It is based on designing a sequential sampling plan, with a view to decomposing a “difficult” counting problem defined on some set \mathcal{X}^* into a number of “easy” ones associated with a sequence of related sets $\mathcal{X}_0, \mathcal{X}_1, \dots, \mathcal{X}_m$ and such that $\mathcal{X}_m = \mathcal{X}^*$. Splitting algorithms explore the connection between counting and sampling problems, in particular the reduction from approximate counting of a discrete set to approximate sampling of elements of this set, with the sampling performed, typically, by some Markov chain Monte Carlo method.

Recently, counting problems have attracted research interest, notably #SAT which is also called model counting in Gomes et al. [11]. Although it has been shown that many solution techniques for SAT problems can be adapted for these problems, yet due to the exponential increase in memory usage and running times of these methods, their application area in counting is limited. This drawback motivated the approximative approach mentioned earlier. There are two main heuristic algorithms for approximate counting methods in #SAT. The first one, called **ApproxCount**, is introduced by Wei and Selman [19]. It is a local search method that uses Markov Chain Monte Carlo (MCMC) sampling to compute an approximation of the true model count of a given formula. It is fast and has been shown to provide good estimates for feasible solution counts, but, in contrast with our proposed splitting method, there are no guarantees as to the uniformity of the MCMC samples. Gogate and Dechter [10] recently proposed a second model counting technique called **SampleMinisat**, which is based on sampling from the so-called backtrack-free search

space of a Boolean formula through `SampleSearch`. An approximation of the search tree thus found is used as the importance sampling density instead of the uniform distribution over all solutions. Experiments with `SampleMinisat` show that it is very fast and typically it provides very good estimates.

The splitting method discussed in this work for counting in deterministic problems is based on its classic counterpart for efficient estimation of rare-event probabilities in stochastic problems. The relation between rare-event simulation methods and approximate counting methods have also been discussed, for instance, by Blanchet and Rudoy [1], Botev and Kroese [3], Rubinstein [15]; and Chapter 9 in Rubinstein and Kroese [16].

As said, we propose to apply the sequential sampling method presented in Botev and Kroese [4] which yields a product estimator for counting the number of solutions $|\mathcal{X}^*|$, where the product is taken over the estimators of the consecutive conditional probabilities, each of which represents an “easy” problem. In addition, we shall consider an alternative version, in which we use the generated samples after the last iteration of the splitting algorithm as a sample for the capture-recapture method. This method gives us an alternative estimate of the counting problem. Furthermore, we shall study an extended version of the capture-recapture method when the problem size is too large for the splitting method to give reliable estimates. The idea is to decrease artificially the problem size and then apply a backwards estimation. Whenever applicable, the estimators associated with our proposed enhancements outperform the splitting estimators in terms of variance normalized by computational effort.

The paper is organized as follows. We first start with describing the splitting method in detail in Section 2. Section 3 deals with the combination of the classic capture-recapture method with the splitting algorithm. Finally, numerical results and concluding remarks are presented in Sections 4 and 5, respectively.

2 Splitting Algorithms for Counting

The splitting method is one of the main techniques for the efficient estimation of rare-event probabilities in stochastic problems. The method is based on the idea of restarting the simulation in certain states of the system in order to obtain more occurrences of the rare event. Although the method originated as a rare event simulation technique (see Cérou and Guyader [5], L’Ecuyer et al. [6], Garvels [7], Glasserman et al. [9], Lagnoux [12], Melas [13]), it has been modified in Blanchet and

Rudoy [1], Botev and Kroese [3], and Rubinstein [15], for counting and combinatorial optimization problems.

Consider a NP decision problem with solution set \mathcal{X}^* , i.e., the set containing all solutions to the problem. We are interested in computing the size $|\mathcal{X}^*|$ of the solution set. Suppose that there is a larger set $\mathcal{X} \supset \mathcal{X}^*$ which can be represented by a simple description or formula; specifically, its size $|\mathcal{X}|$ is known and easy to compute. We call \mathcal{X} the state space of the problem. Let $p = |\mathcal{X}^*|/|\mathcal{X}|$ denote the fraction (or “probability”) of the solution set w.r.t. the state space. Since $|\mathcal{X}|$ is known, it suffices to compute p . In most cases p is extremely small, in other words we deal with a rare-event probability. However, assuming we can estimate p by \hat{p} , we obtain automatically

$$|\widehat{\mathcal{X}^*}| = |\mathcal{X}|\hat{p}$$

as an estimator of $|\mathcal{X}^*|$. Note that straightforward simulation based on generation of i.i.d. uniform samples $X_i \in \mathcal{X}$ and delivering the Monte Carlo estimator $\hat{p}_{\text{MC}} = \frac{1}{N} \sum_{i=1}^N I_{\{X_i \in \mathcal{X}^*\}}$ as an unbiased estimator of $|\mathcal{X}^*|/|\mathcal{X}|$ fails when p is a rare-event probability. To be more specific, assume a parametrization of the decision problem. The size of the state space $|\mathcal{X}|$ is parameterized by n , such that $|\mathcal{X}| \rightarrow \infty$ as $n \rightarrow \infty$. For instance, in SAT n represents the number of variables. Furthermore we assume that the fraction of the solution set $p \rightarrow 0$ as $n \rightarrow \infty$. The required sample size N to obtain a relative accuracy ε of the 95% confidence interval by the Monte Carlo estimation method is (see Section 1.13 in [16])

$$N \approx \frac{1.96^2}{\varepsilon^2 p},$$

which increases like p^{-1} as $n \rightarrow \infty$.

The purpose of the splitting method is to estimate p more efficiently via the following steps:

1. Find a sequence of sets $\mathcal{X} = \mathcal{X}_0, \mathcal{X}_1, \dots, \mathcal{X}_m$ such that $\mathcal{X}_0 \supset \mathcal{X}_1 \supset \dots \supset \mathcal{X}_m = \mathcal{X}^*$.
2. Write $|\mathcal{X}^*| = |\mathcal{X}_m|$ as the telescoping product

$$|\mathcal{X}^*| = |\mathcal{X}_0| \prod_{t=1}^m \frac{|\mathcal{X}_t|}{|\mathcal{X}_{t-1}|}, \tag{1}$$

thus the target probability becomes a product $p = \prod_{t=1}^m c_t$, with ratio factors

$$c_t = \frac{|\mathcal{X}_t|}{|\mathcal{X}_{t-1}|}. \tag{2}$$

3. Develop an efficient estimator \hat{c}_t for each c_t and estimate $|\mathcal{X}^*|$ by

$$\hat{\ell} = |\widehat{\mathcal{X}^*}| = |\mathcal{X}_0| \hat{p} = |\mathcal{X}_0| \prod_{t=1}^m \hat{c}_t. \quad (3)$$

It is readily seen that in order to obtain a meaningful estimator of $|\mathcal{X}^*|$, we have to solve the following two major problems:

(i). Put the counting problem into the framework (1) by making sure that

$$\mathcal{X}_0 \supset \mathcal{X}_1 \supset \cdots \supset \mathcal{X}_m = \mathcal{X}^*, \quad (4)$$

such that each c_t is not a rare-event probability.

(ii). Obtain a low-variance estimator \hat{c}_t of each ratio c_t .

To deal with both problems, we propose an adaptive version of the splitting method. As a demonstration, consider a specific family of decision problems, namely those whose solution set is finite and given by linear integer constraints. In other words, $\mathcal{X}^* \subset \mathbb{Z}_+^n$ is given by

$$\begin{cases} \sum_{j=1}^n a_{ij}x_j = b_i, & i = 1, \dots, m_1; \\ \sum_{j=1}^n a_{ij}x_j \geq b_i, & i = m_1 + 1, \dots, m_1 + m_2 = m; \\ x_j \in \{0, 1, \dots, d\}, & \forall j = 1, \dots, n. \end{cases} \quad (5)$$

Our goal is to count the number of feasible solutions (or points) to the set (5). Note that we assume that we know, or can compute easily, the bounding finite set $\mathcal{X} = \{0, 1, \dots, d\}^n$, with points $\mathbf{x} = (x_1, \dots, x_n)$ (in this case $|\mathcal{X}| = (d+1)^n$) as well for other counting problems.

Below we follow Rubinstein [15]. Define the Boolean functions $C_i : \mathcal{X} \rightarrow \{0, 1\}$ ($i = 1, \dots, m$) by

$$C_i(\mathbf{x}) = \begin{cases} I_{\{\sum_{j=1}^n a_{ij}x_j = b_i\}}, & i = 1, \dots, m_1; \\ I_{\{\sum_{j=1}^n a_{ij}x_j \geq b_i\}}, & i = m_1 + 1, \dots, m_1 + m_2. \end{cases} \quad (6)$$

Furthermore, define the function $S : \mathcal{X} \rightarrow \mathbb{Z}_+$ by counting how many constraints are satisfied by a point $\mathbf{x} \in \mathcal{X}$, i.e., $S(\mathbf{x}) = \sum_{i=1}^m C_i(\mathbf{x})$. Now we can formulate the counting problem as a probabilistic problem of evaluating

$$p = \mathbb{E}_f [I_{\{S(\mathbf{X})=m\}}], \quad (7)$$

where \mathbf{X} is a random point on \mathcal{X} , uniformly distributed with probability density function (pdf) $f(\mathbf{x})$, denoted by $\mathbf{X} \stackrel{d}{\sim} f = \mathcal{U}(\mathcal{X})$. Consider an increasing sequence of thresholds $0 = m_0 < m_1 < \dots < m_{T-1} < m_T = m$, and define the sequence of decreasing sets (4) by

$$\mathcal{X}_t = \{\mathbf{x} \in \mathcal{X} : S(\mathbf{x}) \geq m_t\}.$$

Note that in this way

$$\mathcal{X}_t = \{\mathbf{x} \in \mathcal{X}_{t-1} : S(\mathbf{x}) \geq m_t\},$$

for $t = 1, 2, \dots, T$. The latter representation is most useful since it shows that the ratio factor c_t in (2) can be considered as a conditional expectation:

$$c_t = \frac{|\mathcal{X}_t|}{|\mathcal{X}_{t-1}|} = \mathbb{E}_{g_{t-1}}[I_{\{S(\mathbf{X}) \geq m_t\}}], \quad (8)$$

where $\mathbf{X} \stackrel{d}{\sim} g_{t-1} = \mathcal{U}(\mathcal{X}_{t-1})$. Note that $g_{t-1}(\mathbf{x})$ is also obtained as a conditional pdf by

$$g_{t-1}(\mathbf{x}) = f(\mathbf{x}|\mathcal{X}_{t-1}) = \begin{cases} \frac{f(\mathbf{x})}{f(\mathcal{X}_{t-1})}, & \mathbf{x} \in \mathcal{X}_{t-1}; \\ 0, & \mathbf{x} \notin \mathcal{X}_{t-1}. \end{cases} \quad (9)$$

To draw samples from the uniform pdf $g_{t-1} = \mathcal{U}(\mathcal{X}_{t-1})$ on a complex set given implicitly, one applies typically MCMC methods. For further details we refer to Rubinstein [15].

2.1 The Basic Adaptive Splitting Algorithm

We describe here the adaptive splitting algorithm from Botev and Kroese [4]. The thresholds (m_t) are not given in advance, but determined adaptively via a simulation process. Hence, the number T of thresholds becomes a random variable. In fact, the (m_t)-thresholds should satisfy the requirements $c_t = |\mathcal{X}_t|/|\mathcal{X}_{t-1}| \approx \rho_t$, where the parameters $\rho_t \in (0, 1)$ are not too small, say $\rho_t \geq 0.01$, and set in advance. We call these the splitting control parameters. In most applications we choose these all equal, that is $\rho_t \equiv \rho$.

Consider a sample set $[\mathbf{X}]_{t-1} = \{\mathbf{X}_1, \dots, \mathbf{X}_N\}$ of N random points in \mathcal{X}_{t-1} . That is, all these points are uniformly distributed on \mathcal{X}_{t-1} . Let m_t be the $(1 - \rho_{t-1})$ -th quantile of the ordered statistics values of the scores $S(\mathbf{X}_1), \dots, S(\mathbf{X}_N)$. The elite set $[\mathbf{X}]_{t-1}^{(e)} \subset [\mathbf{X}]_{t-1}$ consists of those points of the sample set for which $S(\mathbf{X}_i) \geq m_t$. Let N_t be the size of the elite set. If all scores $S(\mathbf{X}_i)$ are distinct, it follows that the number of elites $N_t = \lceil N\rho_{t-1} \rceil$, where $\lceil \cdot \rceil$ denotes rounding to the largest integer. However, dealing with a discrete space, typically we will find more samples with

$S(\mathbf{X}_i) \geq m_t$. All these are added to the elite set. Finally we remark that from (9) it easily follows that the elite points are distributed uniformly on \mathcal{X}_t .

Regarding the elite set based in \mathcal{X}_{t-1} as a subset of \mathcal{X}_t , we do two things. First, we screen out (delete) duplicates, so that we end up with a set of size $N_t^{(s)}$ of distinct elites. Secondly, each screened elite is the starting point of an independent Markov chain simulation (MCMC method) in \mathcal{X}_t using a transition probability matrix P_t with $g_t = \mathcal{U}(\mathcal{X}_t)$ as its stationary distribution. Because the starting point is uniformly distributed, all consecutive points on the sample path are uniformly distributed on \mathcal{X}_t . Therefore, we may use all these points in the next iteration.

Thus, we simulate $N_t^{(s)}$ independent trajectories, each trajectory for $b_t = \lfloor N/N_t^{(s)} \rfloor$ steps. This produces a total of $N_t^{(s)}b_t \leq N$ uniform points in \mathcal{X}_t . To continue with the next iteration again with a sample set of size N , we choose randomly $N - N_t^{(s)}b_t$ of these sample paths and extend them by one point. Denote the new sample set by $[\mathbf{X}]_t$, and repeat the same procedure as above. The algorithm iterates until we find $m_t = m$, say at iteration T , at which stage we stop and deliver

$$|\widehat{\mathcal{X}^*}| = |\mathcal{X}| \prod_{t=1}^T \hat{c}_t \quad (10)$$

as an estimator of $|\mathcal{X}^*|$, where $\hat{c}_t = N_t/N$ at iteration t .

In our experiments we applied a Gibbs sampler to implement the MCMC simulation for obtaining uniformly distributed samples. To summarize, we give the algorithm.


Algorithm 2.1 (Basic splitting algorithm for counting).


- *Input: the counting problem (5); the bounding set \mathcal{X}_0 ; sample size N ; splitting control parameters $(\rho_t)_t$.*
 - *Output: counting estimator (10).*
1. *Set a counter $t = 1$. Generate a sample set $[\mathbf{X}]_0$ of N points uniformly distributed in \mathcal{X}_0 . Compute the threshold m_1 , and determine the size N_1 of the elite set. Set $\hat{c}_1 = N_1/N$ as an estimator of $c_1 = |\mathcal{X}_1|/|\mathcal{X}_0|$.*
 2. *Screen out the elite set to obtain $N_t^{(s)}$ distinct points uniformly distributed in \mathcal{X}_t .*
 3. *Let $b_t = \lfloor N/N_t^{(s)} \rfloor$. For all $i = 1, 2, \dots, N_t^{(s)}$, starting at the i -th screened elite point run a Markov chain of length b_t in \mathcal{X}_t with $g_t = \mathcal{U}(\mathcal{X}_t)$ as its stationary distribution. Extend $N - N_t^{(s)}b_t$ randomly chosen sample paths with one point. Denote the new sample set of size N by $[\mathbf{X}]_t$.*

4. Increase the counter $t = t + 1$. Compute the threshold m_t , and determine the size N_t of the elite set. Set $\hat{c}_t = N_t/N$ as an estimator of $c_t = |\mathcal{X}_t|/|\mathcal{X}_{t-1}|$.
5. If $m_t = m$ deliver the estimator (10); otherwise repeat from step 2.

Remark 1. Note that the goal of our algorithm 2.1 is to produce points uniformly distributed on each subregion \mathcal{X}_t . At the first iteration (due to the acceptance-rejection technique) the samples are indeed uniformly distributed on the entire space \mathcal{X}_0 . In the subsequent iterations we generate in parallel a substantial number of independent sequences of uniform points. We also make sure that they have sufficient lengths. By doing so we guarantee that the generated points at each \mathcal{X}_t are distributed approximately uniform, see the discussion in Gelman and Rubin [8]. We found numerically that this is obtained by choosing the sample size about 10-100 times larger than dimension n and the splitting parameters ρ_t not too small, say $10^{-1} \geq \rho_t \geq 10^{-3}$.

The following figures support these rapid mixing properties. We applied the splitting algorithm to a 3-SAT problem from the SATLIB benchmark problems, consisting of $n = 75$ literals and $m = 375$ clauses, see Section 4.1 for further details. In each iteration we chose arbitrarily one of the screened elite points as a starting point of the Gibbs sampler of length $N = 1000$. From this sequence of points $\mathbf{X}_1, \dots, \mathbf{X}_N$ in the subset \mathcal{X}_t we constructed the time series y_1, \dots, y_N of their partial sums $y_i = \sum_{j=1}^n \mathbf{X}_{i,j}$, and computed the autocorrelation function of the times series. The figures show these autocorrelation functions of the first four iterations, up to lag 20.





3 Combining Splitting and Capture–Recapture

In this section we discuss how to combine the well known capture-recapture (CAP-RECAP) method with the basic splitting Algorithm 2.1. First we present the classical capture-recapture algorithm in the literature.

3.1 The Classic Capture–Recapture in the Literature

Originally the capture-recapture method was used to estimate the size, say M , of an unknown population on the basis of two independent samples, each taken without replacement from it. To see how the CAP-RECAP method works, consider an urn model with a total of M identical balls. Denote by N_1 and N_2 the sample sizes taken at the first and second draws, respectively. Assume, in addition, that

- The second draw takes place after all N_1 balls have been returned to the urn.
- Before returning the N_1 balls, each is marked, say we painted them a different color.

Denote by R the number of balls from the first draw that reappear in the second. Then a biased estimate \widetilde{M} of M is

$$\widetilde{M} = \frac{N_1 N_2}{R}. \quad (11)$$

This is based on the observation that $N_2/M \approx R/N_1$. Note that the name capture-recapture was borrowed from a problem of estimating the animal population size in a particular area on the basis of two visits. In this case R denotes the number of animals captured on the first visit and recaptured on the second.

A slightly less biased estimator of M is

$$\widehat{M} = \frac{(N_1 + 1)(N_2 + 1)}{(R + 1)} - 1. \quad (12)$$

See Seber [17] for an analysis of its bias. Furthermore, defining the statistic

$$V = \frac{(N_1 + 1)(N_2 + 1)(N_1 - R)(N_2 - R)}{(R + 1)^2(R + 2)},$$

Seber [17] shows that

$$\mathbb{E}[V] \sim \text{Var}[\widehat{M}] (1 + \mu^2 e^{-\mu}),$$

where

$$\mu = \mathbb{E}[R] = N_1 N_2 / M,$$

so that V is an approximately unbiased estimator of the variance of \widehat{M} .

3.2 Splitting algorithm combined with Capture–Recapture

Application of the CAP-RECAP to counting problems is trivial. The target is to estimate size $M = |\mathcal{X}^*|$. Consider the basic splitting algorithm 2.1 at the last iteration T , when we have found a set of elite points that satisfy all m constraints; i.e., points in the target set \mathcal{X}^* . For the capture-recapture method we screen out duplicates which gives us a set $[\mathbf{X}]_T^{(s)} \subset \mathcal{X}^*$ of $N_T^{(s)}$ distinct points.

Then (i) we execute step 3 of Algorithm 2.1 (the MCMC simulation) with sample size $N_1^{(\text{cap})}$; (ii) we screen out duplicates; and (iii) we record the resulting set of N_1 distinct points. Independently, we execute (i)–(iii) a second time, starting from the points $[\mathbf{X}]_T^{(s)}$, now with sample size $N_2^{(\text{recap})}$. After screening out we record a set of N_2 distinct points. Finally, we count the number R of distinct points that occur in both recordings and deliver either estimator (11) or (12).

To summarize, we give the algorithm.

Algorithm 3.1 (Splitting with capture-recapture algorithm for counting).

- *Input:* the counting problem (5); the bounding set \mathcal{X}_0 ; sample sizes $N, N_1^{(\text{cap})}, N_2^{(\text{recap})}$; splitting control parameters $(\rho_t)_t$.
 - *Output:* counting estimator (11) or (12).
1. Set a counter $t = 1$. Generate a sample set $[\mathbf{X}]_0$ of N points uniformly distributed in \mathcal{X}_0 . Compute the threshold m_1 , and determine the elite set of points satisfying m_1 constraints.

2. Screen out the elite set to obtain $N_t^{(s)}$ distinct points uniformly distributed in \mathcal{X}_t .
3. Let $b_t = \lfloor N/N_t^{(s)} \rfloor$. For all $i = 1, 2, \dots, N_t^{(s)}$, starting at the i -th screened elite point run a Markov chain of length b_t in \mathcal{X}_t with $g_t = \mathcal{U}(\mathcal{X}_t)$ as its stationary distribution. Extend $N - N_t^{(s)}b_t$ randomly chosen sample paths with one point. Denote the new sample set of size N by $[\mathbf{X}]_t$.
4. Increase the counter $t = t + 1$. Compute the threshold m_t , and determine the elite set of points satisfying m_t constraints.
5. If $m_t < m$ repeat from step 2 otherwise, set $T = t$ and go to step 6.
6. Screen out the elite set to obtain $N_T^{(s)}$ distinct points uniformly distributed in $\mathcal{X}_T = \mathcal{X}^*$.
7. Let $b_T(1) = \lfloor N_1^{(\text{cap})}/N_T^{(s)} \rfloor$. For all $i = 1, 2, \dots, N_T^{(s)}$, starting at the i -th screened elite point run a Markov chain of length $b_T(1)$ in \mathcal{X}_T with $g_T = \mathcal{U}(\mathcal{X}_T)$ as its stationary distribution. Extend $N_1^{(\text{cap})} - N_T^{(s)}b_T(1)$ randomly chosen sample paths with one point. Screen out duplicates to obtain a set $[\mathbf{X}]_1^{(\text{cap})}$ of N_1 distinct points in \mathcal{X}^* .
8. Repeat step 7 with $b_T(2) = \lfloor N_2^{(\text{recap})}/N_T^{(s)} \rfloor$. After screening out, the remaining set is $[\mathbf{X}]_2^{(\text{recap})}$ of N_2 distinct points in \mathcal{X}^* .
9. Compute the number R of points in $[\mathbf{X}]_1^{(\text{cap})} \cap [\mathbf{X}]_2^{(\text{recap})}$.
10. Deliver estimator (11) or (12).

In Section 4 we report numerical results of simulation experiments executed by the splitting algorithm 2.1 and by the capture-recapture algorithm 3.1. As a general observation we found that the performances of the corresponding counting estimators depend on the choice of sample size N in the two algorithms, and on the size of the target set \mathcal{X}^* . When we keep the sample N limited to 10000, then for $|\mathcal{X}^*|$ sizes up to 10^6 the CAP-RECAP estimator (12) is more accurate than the product estimator (10), that is

$$\mathbb{V}ar[\widehat{|\mathcal{X}^*|}_{\text{cap}}] \leq \mathbb{V}ar[\widehat{|\mathcal{X}^*|}_{\text{product}}].$$

However, if $10^6 < |\mathcal{X}^*| \leq 10^9$, we propose to apply an extended version of the capture-recapture method, as we will describe in the next section; and for larger target sets ($|\mathcal{X}^*| > 10^9$), we propose to execute just the splitting algorithm because the capture-recapture method performs poorly.

3.3 Extended Capture–Recapture Method for SAT

Recall that the regular CAP-RECAP method

1. Is implemented at the last iteration T of the splitting algorithm, that is when some configurations have already reached the desired set \mathcal{X}^* .
2. It provides reliable estimators of $|\mathcal{X}^*|$ if it is not too large, say $|\mathcal{X}^*| \leq 10^6$. (We assume sample sizes $N \leq 10000$.)

In rare events counting problems, $|\mathcal{X}^*|$ is indeed $\leq 10^6$, nevertheless we present below an extended CAP-RECAP version, which extends the original CAP-RECAP for 2-3 orders more, that is, it provides reliable counting estimators for $10^6 < |\mathcal{X}^*| \leq 10^9$. The enhancement is based on adding a random number τ of random constraints to the original solution set \mathcal{X}^* that was given in (5). For reasons of exposition we consider the SAT problem only, since it is easy to generate a random clause involving n literals.

Algorithm 3.2 (Extended CAP-RECAP for SAT).

- *Input: the counting problem (5); the bounding set \mathcal{X}_0 ; sample sizes N , $N_1^{(\text{cap})}$, $N_2^{(\text{recap})}$, N_m , where $N \leq 10000$; splitting control parameters $(\rho_t)_t$; c^* a relatively small number, say $10^{-2} \leq c^* \leq 10^{-3}$.*
 - *Output: estimator of $|\mathcal{X}^*|$.*
1. *Execute Algorithm 2.1 and compute estimator $|\widehat{\mathcal{X}^*}|$ given in (10).*
 2. *If $|\widehat{\mathcal{X}^*}| > 10^9$, stop; else, if $|\widehat{\mathcal{X}^*}| \leq 10^6$, execute steps 6-10 of Algorithm 3.1; else continue with step 3.*
 3. *Recall that Algorithm 2.1 stops at iteration T with an elite sample set $\{\mathbf{X}_1, \dots, \mathbf{X}_{N_T}\} \subset \mathcal{X}_T = \mathcal{X}^*$. Execute step 2 and step 3 of Algorithm 2.1; i.e., screen out duplicates and run the MCMC simulations (target sample size N_m) to obtain a sample set $[\mathbf{X}]_T \subset \mathcal{X}_T$ of size N_m . Set auxiliary counter $j = 1$.*
 4. *Add one arbitrary (random) auxiliary clause to the model. Let N_{T+j} be the number of points in $[\mathbf{X}]_T$ that satisfy all $m + j$ clauses.*
 5. *If $N_{T+j}/N_m > c^*$, increase auxiliary counter $j = j + 1$ and repeat from step 4. Else, set $\tau = j$; denote $\mathcal{X}_{T+\tau}$ for the extended model with these new τ auxiliary clauses; and define*

$$\widehat{c}_{T+\tau} = \frac{N_{T+\tau}}{N_m} \leq c^*. \quad (13)$$

6. Execute steps 6-10 of the capture-recapture Algorithm 3.1 for the CAP-RECAP estimator $|\widehat{\mathcal{X}}_{T+\tau}|_{\text{cap}}$ of the size of the extended model.

7. Deliver estimator

$$|\widehat{\mathcal{X}}^*|_{\text{ecap}} = \widehat{c}_{T+\tau}^{-1} \cdot |\widehat{\mathcal{X}}_{T+\tau}|_{\text{cap}}. \quad (14)$$

We call $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ the extended CAP-RECAP estimator. It is essential to bear in mind that

- $|\widehat{\mathcal{X}}_{T+\tau}|_{\text{cap}}$ is a CAP-RECAP estimator rather than a splitting (product) one.
- $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ does not contain the original estimators $\widehat{c}_1, \dots, \widehat{c}_T$ generated by the splitting method.
- Since we only need here the uniformity of the samples at \mathcal{X}_T , we can run the splitting method of Section 2.1 all the way with relatively small values of sample size N and splitting control parameter ρ until it reaches the vicinity of \mathcal{X}^* (meaning that the points of the elite set satisfy $m - r$ constraints, where $r = 1$ or $r = 2$; and then switch to larger N and ρ .
- In contrast to the splitting estimator which employs a product of T terms, formula (14) employs only a single c factor. Recall that this additional $\widehat{c}_{T+\tau}^{-1}$ factor allows to enlarge the CAP-RECAP estimators of $|\mathcal{X}^*|$ for about two-three additional orders, namely from $|\mathcal{X}^*| \approx 10^6$ to $|\mathcal{X}^*| \approx 10^9$.

4 Numerical Results

Below we present numerical results for the splitting algorithm for counting. In particular we consider the following problems:

1. The 3-satisfiability problem (3-SAT)
2. Graphs with prescribed degrees
3. Contingency tables

For the 3-SAT problem we shall also use the CAP-RECAP method when appropriate. We shall show that typically CAP-RECAP outperforms the splitting algorithm. The other two problems typically have too large solution sets to be applied by CAP-RECAP. Clearly, if we would make artificially the associated matrix of the restriction

coefficients (see (5)) very sparse, the number of solutions could be made $< 10^9$ and CAP-RECAP would be applicable again. However, in this paper we did not follow such untypical situation.

We shall use the following notations.

Notation A. For iteration $t = 1, 2, \dots$

- N_t and $N_t^{(s)}$ denote the actual number of elites and the number after screening, respectively;
- m_t^* and m_{*t} denote the upper and the lower elite levels reached, respectively (the m_{*t} levels are the same as the m_t levels in the description of the algorithm);
- ρ_t is the splitting control parameter (we chose $\rho_t \equiv \rho$);
- $\hat{c}_t = N_t/N$ is the estimator of the t -th conditional probability;
- product estimator $|\widehat{\mathcal{X}}_t^*| = |\mathcal{X}| \prod_{i=1}^t \hat{c}_i$ after t iterations.

4.1 The 3-Satisfiability Problem (3-SAT)

There are m clauses of length 3 taken from n boolean (or binary) variables x_1, \dots, x_n . A literal of the j -th variable is either TRUE ($x_j = 1$) or FALSE ($x_j = 0 \Leftrightarrow \bar{x}_j = 1$, where $\bar{x}_j = \text{NOT}(x_j)$). A clause is a disjunction of literals. We assume that all clauses consist of 3 literals. The 3-SAT problem consists of determining if the variables $\mathbf{x} = (x_1, \dots, x_n)$ can be assigned in a such way as to make all clauses TRUE. More formally, let $\mathcal{X} = \{0, 1\}^n$ be the set of all configurations of the n variables, and let $C_i : \mathcal{X} \rightarrow \{0, 1\}$, be the m clauses. Then define $\phi : \mathcal{X} \rightarrow \{0, 1\}$ by

$$\phi(\mathbf{x}) = \bigwedge_{i=1}^m C_i(\mathbf{x}).$$

The original 3-SAT problem is to find a configuration of the x_j variables for which $\phi(\mathbf{x}) = 1$. In this work we are interested in the total number of such configurations (or feasible solutions). Then as discussed in Section 2, \mathcal{X}^* denotes the set of feasible solutions. Trivially, there are $|\mathcal{X}| = 2^n$ configurations.

The 3-SAT problems can also be converted into the family of decision problems (5) given in Section 2. Define the $m \times n$ matrix \mathbf{A} with entries $a_{ij} \in \{-1, 0, 1\}$ by

$$a_{ij} = \begin{cases} -1 & \text{if } \bar{x}_j \in C_i, \\ 0 & \text{if } x_j \notin C_i \text{ and } \bar{x}_j \notin C_i, \\ 1 & \text{if } x_j \in C_i. \end{cases}$$

Furthermore, let \mathbf{b} be the m -(column) vector with entries $b_i = 1 - |\{j : a_{ij} = -1\}|$. Then it is easy to see that for any configuration $\mathbf{x} \in \{0, 1\}^n$

$$\mathbf{x} \in \mathcal{X}^* \Leftrightarrow \phi(\mathbf{x}) = 1 \Leftrightarrow \mathbf{Ax} \geq \mathbf{b}.$$

Below we compare the efficiencies of the classic, the CAP-RECAP, and the extended CAP-RECAP algorithms. Efficiency is measured by the reciprocal of the product of the variance and the computational effort (see, e.g., [6]).

As an example we consider the estimation of $|\mathcal{X}^*|$ for the 3-SAT problem with an instance matrix \mathbf{A} of dimension (122×515) , meaning $n = 122, m = 515$. In particular Table 1 presents the the performance of the splitting Algorithm 2.1 based on 10 independent runs using $N = 25,000$ and $\rho = 0.1$, while Table 2 shows the dynamics of a run of the Algorithm 2.1 for the same data.

Table 1: Performance of splitting algorithm for the 3-SAT (122×515) model with $N = 25,000$ and $\rho = 0.1$.

Run	nr. of its.	$ \widehat{\mathcal{X}^*} $	CPU
1	33	1.41E+06	212.32
2	33	1.10E+06	213.21
3	33	1.68E+06	214.05
4	33	1.21E+06	215.5
5	33	1.21E+06	214.15
6	33	1.47E+06	216.05
7	33	1.50E+06	252.25
8	33	1.73E+06	243.26
9	33	1.21E+06	238.63
10	33	1.88E+06	224.36
Average	33	1.44E+06	224.38

The relative error, denoted by RE is $1.815E - 01$. Notice that the relative error of a random variable Z is calculated by the standard formula, namely

$$RE = S/\widehat{\ell},$$

where

$$\widehat{\ell} = \frac{1}{N} \sum_{i=1}^N Z_i, \quad S^2 = \frac{1}{N-1} \sum_{i=1}^N (Z_i - \widehat{\ell})^2.$$

Table 2: Dynamics of a run of the splitting algorithm for the 3-SAT (122×515) model using $N = 25,000$ and $\rho = 0.1$.

t	$ \widehat{\mathcal{X}}_t^* $	N_t	$N_t^{(s)}$	m_t^*	m_{*t}	\hat{c}_t
1	6.53E+35	3069	3069	480	460	1.23E-01
2	8.78E+34	3364	3364	483	467	1.35E-01
3	1.15E+34	3270	3270	484	472	1.31E-01
4	1.50E+33	3269	3269	489	476	1.31E-01
5	2.49E+32	4151	4151	490	479	1.66E-01
6	3.37E+31	3379	3379	492	482	1.35E-01
7	3.41E+30	2527	2527	494	485	1.01E-01
8	6.19E+29	4538	4538	495	487	1.82E-01
9	9.85E+28	3981	3981	497	489	1.59E-01
10	1.31E+28	3316	3316	498	491	1.33E-01
11	1.46E+27	2797	2797	501	493	1.12E-01
12	4.61E+26	7884	7884	501	494	3.15E-01
13	1.36E+26	7380	7380	501	495	2.95E-01
14	3.89E+25	7150	7150	502	496	2.86E-01
15	1.06E+25	6782	6782	505	497	2.71E-01
16	2.69E+24	6364	6364	503	498	2.55E-01
17	6.42E+23	5969	5969	504	499	2.39E-01
18	1.42E+23	5525	5525	506	500	2.21E-01
19	3.03E+22	5333	5333	505	501	2.13E-01
20	5.87E+21	4850	4850	506	502	1.94E-01
21	1.06E+21	4496	4496	507	503	1.80E-01
22	1.71E+20	4061	4061	507	504	1.62E-01
23	2.50E+19	3647	3647	509	505	1.46E-01
24	3.26E+18	3260	3260	510	506	1.30E-01
25	3.62E+17	2778	2778	510	507	1.11E-01
26	3.68E+16	2539	2539	510	508	1.02E-01
27	3.05E+15	2070	2070	511	509	8.28E-02
28	2.17E+14	1782	1782	512	510	7.13E-02
29	1.21E+13	1398	1398	513	511	5.59E-02
30	5.00E+11	1030	1030	513	512	4.12E-02
31	1.49E+10	743	743	514	513	2.97E-02
32	2.39E+08	402	402	515	514	1.61E-02
33	1.43E+06	150	150	515	515	6.00E-03

We increased the sample size at the last two iterations from $N = 25,000$ to $N = 100,000$ to get a more accurate estimator.

As can be seen from Table 1, the estimator $|\widehat{\mathcal{X}}^*|_{\text{product}} > 10^6$, hence for this instance the extended CAP-RECAP Algorithm 3.2 can also be used. We shall show that the relative error (RE) of the extended CAP-RECAP estimator $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ is less than that of $|\widehat{\mathcal{X}}^*|_{\text{product}}$. Before doing so we need to find the extended 3-SAT instance matrix $(122 \times 515 + \tau)$, where τ is the number of auxiliary clauses. Applying the

extended CAP-RECAP Algorithm 3.2 with $c^* = 0.05$, we found that $\tau = 5$ and thus the extended instance matrix is (122×520) . Recall that the cardinality $|\mathcal{X}_{T+\tau}|$ of the extended (122×520) model should be manageable by the regular CAP-RECAP algorithm 3.1, that is, we assumed that $|\mathcal{X}_{T+\tau}| < 10^6$. Indeed, Table 3 presents the performance of the regular CAP-RECAP algorithm for that extended (122×520) model. Here we used again $\rho = 0.1$. As for the sample size, we took $N = 1,000$ until iteration 28 and then switched to $N = 100,000$. The final CAP-RECAP estimator is obtained by taking two equal samples, each of size $N = 70,000$ at the final subset $\mathcal{X}_{T+\tau}$.

Table 3: Performance of the regular CAP-RECAP for the extended (122×520) model with $N = 1,000$ (up to iteration 28), $N = 100,000$ (from iteration 29), $N = 70,000$ (for the two capture-recapture draws), and $\rho = 0.1$.

Run	nr. of its.	$ \widehat{\mathcal{X}}^* _{\text{cap}}$	CPU
1	34	5.53E+04	159.05
2	35	5.49E+04	174.46
3	35	5.51E+04	178.08
4	34	5.51E+04	166.36
5	34	5.52E+04	159.36
6	33	5.52E+04	152.38
7	33	5.54E+04	137.96
8	34	5.50E+04	157.37
9	35	5.51E+04	179.08
10	34	5.51E+04	163.7
Average	34.1	5.51E+04	162.78

The relative error of $|\widehat{\mathcal{X}}^*|_{\text{cap}}$ over 10 runs is $2.600E - 03$.

Next we compare the efficiency of the regular CAP-RECAP algorithm 3.1 for the extended (122×520) model (as per Table 3) with that of the splitting algorithm 2.1 for this model. Table 4 presents the performance of the splitting algorithm for $\rho = 0.1$ and $N = 100,000$.

It readily follows that the relative error of the regular CAP-RECAP is about 30 times less than that of splitting. Notice in addition that the CPU time of CAP-RECAP is about 6 times less than that of splitting. This is so since the total sample size of the former is about 6 time less than of the latter. Using that the relative error involves the square root of the variance, the efficiency improvement by CAP-RECAP is about 5,400.

Table 4: Performance of splitting algorithm for the 3-SAT (122×520) model with $N = 100,000$ and $\rho = 0.1$.

Run	nr. of its.	$ \widehat{\mathcal{X}}^* $	CPU
1	34	6.03E+04	900.28
2	34	7.48E+04	904.23
3	34	4.50E+04	913.31
4	34	5.99E+04	912.27
5	34	6.03E+04	910.44
6	33	4.94E+04	898.91
7	34	5.22E+04	931.88
8	34	5.74E+04	916.8
9	34	5.85E+04	919.63
10	34	5.72E+04	927.7
Average	33.9	5.75E+04	913.54

The relative error of $|\widehat{\mathcal{X}}^*|$ over 10 runs is $1.315E - 01$.

With these results at hand we can proceed with the extended CAP-RECAP and compare its efficiency with splitting (as per Table 1) for the instance matrix (122×515). Table 5 presents the performance of the extended CAP-RECAP estimator $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ for the (122×515) model. We set again $\rho = 0.1$. Regarding the sample size we took $N = 1,000$ for the first 31 iterations and then switched to $N = 100,000$ until reaching the level $m = 515$. Recall that the level $m + \tau = 520$ and the corresponding CAP-RECAP estimator $|\widehat{\mathcal{X}}^*|_{\text{cap}}$ was obtained from the set $\mathcal{X}_T = \mathcal{X}_{515}$ by adding $\tau = 5$ more auxiliary clauses. In this case we used for $|\widehat{\mathcal{X}}^*|_{\text{cap}}$ two equal samples each of length $N = 100,000$.

Comparing the results of Table 1 with that of Table 5 it is readily seen that the extended CAP-RECAP estimator $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ outperforms the splitting one $|\widehat{\mathcal{X}}^*|_{\text{product}}$ in terms of efficiency. In particular, we have that both RE and CPU times of the former are about 1.6 times less than of the latter. This means that the overall efficiency improvement obtained by $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ versus $|\widehat{\mathcal{X}}^*|_{\text{product}}$ is about $1.6^2 \cdot 1.6 \approx 4$. Note finally that the total number of samples used in the extended CAP-RECAP estimator $|\widehat{\mathcal{X}}^*|_{\text{ecap}}$ is about $N = 31 \times 1,000 + 5 \times 100,000 = 531,000$, while in its counterpart - the splitting estimator $|\widehat{\mathcal{X}}^*|_{\text{product}}$ is about $N = 33 \times 25,000 = 825,000$.

Table 5: Performance of the extended CAP-RECAP estimator $|\widehat{\mathcal{X}^*}|_{\text{ecap}}$ for the (122×515) with $N = 1,000$ (up to iteration 31), $N = 100,000$ (from iteration 31 and the two capture-recapture draws), $c^* = 0.05$, and $\rho = 0.1$.

Run	nr. its.	$ \widehat{\mathcal{X}^*} _{\text{ecap}}$	CPU
1	33	1.73E+06	138.99
2	34	1.59E+06	154.64
3	34	1.55E+06	161.78
4	33	1.20E+06	163.53
5	34	1.69E+06	143.84
6	34	1.81E+06	151.1
7	34	1.29E+06	174.08
8	34	1.40E+06	143.27
9	33	1.66E+06	171.07
10	34	1.30E+06	154.71
Average	33.7	1.52E+06	155.70

The relative error of $|\widehat{\mathcal{X}^*}|_{\text{ecap}}$ over 10 runs is $1.315E - 01$.

4.2 Random graphs with prescribed degrees

Random graphs with given vertex degrees have attained attention as a model for real-world complex networks, including World Wide Web, social networks and biological networks. The problem is basically finding a graph $G = (V, E)$ with n vertices, given the degree sequence $\mathbf{d} = (d_1, \dots, d_n)$ formed of nonnegative integers. Following Blitzstein and Diaconis [2], a finite sequence (d_1, \dots, d_n) of nonnegative integers is called graphical if there is a labeled simple graph with vertex set $\{1, \dots, n\}$ in which vertex i has degree d_i . Such a graph is called a realization of the degree sequence (d_1, \dots, d_n) . We are interested in the total number of realizations for a given degree sequence, hence \mathcal{X}^* denotes the set of all graphs $G = (V, E)$ with the degree sequence (d_1, \dots, d_n) .

Similar to (5) for SAT we convert the problem into a counting problem. To proceed consider the complete graph K_n of n vertices, in which each vertex is connected with all other vertices. Thus the total number of edges in K_n is $m = n(n - 1)/2$, labeled e_1, \dots, e_m . The random graph problem with prescribed degrees is translated to the problem of choosing those edges of K_n such that the resulting graph G matches the given sequence \mathbf{d} . Set $x_i = 1$ when e_i is chosen, and $x_i = 0$ otherwise, $i = 1, \dots, m$. In order that such an assignment $\mathbf{x} \in \{0, 1\}^m$ matches the given degree sequence (d_1, \dots, d_n) , it holds necessarily that $\sum_{j=1}^m x_j = \frac{1}{2} \sum_{i=1}^n d_i$, since this

is the total number of edges. In other words, the configuration space is

$$\mathcal{X} = \left\{ \mathbf{x} \in \{0, 1\}^m : \sum_{j=1}^m x_j = \frac{1}{2} \sum_{i=1}^n d_i \right\}.$$

Let \mathbf{A} be the incidence matrix of K_n with entries

$$a_{ij} = \begin{cases} 0 & \text{if } v_i \notin e_j \\ 1 & \text{if } v_i \in e_j. \end{cases}$$

It is easy to see that whenever a configuration $\mathbf{x} \in \{0, 1\}^m$ satisfies $\mathbf{A}\mathbf{x} = \mathbf{d}$, the associated graph has degree sequence (d_1, \dots, d_n) . We conclude that the problem set is represented by

$$\mathcal{X}^* = \{\mathbf{x} \in \mathcal{X} : \mathbf{A}\mathbf{x} = \mathbf{d}\}.$$

We first present a small example as illustration. Let $\mathbf{d} = (2, 2, 2, 1, 3)$ with $n = 5$, and $m = 10$. After ordering the edges of K_5 lexicographically, the corresponding incidence matrix is given as

$$\mathbf{A} = \begin{pmatrix} 1 & 1 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 1 & 1 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 1 & 0 & 0 & 1 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 1 & 1 \end{pmatrix}$$

It is readily seen that the following $\mathbf{x} = (0, 0, 1, 1, 1, 0, 1, 0, 1, 0)'$, and $\mathbf{x} = (1, 0, 0, 1, 1, 0, 0, 0, 1, 1)'$ present two solutions of this example.

For the random graph problem we define the score function $S : \mathcal{X} \rightarrow \mathbb{Z}_-$ by

$$S(\mathbf{x}) = - \sum_{i=1}^n |\deg(v_i) - d_i|,$$

where $\deg(v_i)$ is the degree of vertex i under the configuration \mathbf{x} . Each configuration that satisfies the degree sequence will have a performance function equal to 0.

The implementation of the Gibbs sampler for this problem is slightly different than for the 3-SAT problem, since we keep the number of edges in each realization fixed to $\sum d_i/2$. Our first algorithm takes care of this requirement and generates a random $\mathbf{x} \in \mathcal{X}$.

Algorithm 4.1. *Let (d_1, \dots, d_n) be the prescribed degrees sequence.*

- *Generate a random permutation of $1, \dots, m$.*

- Choose the first $\sum d_i/2$ places in this permutation and deliver a vector \mathbf{x} having one's in those places.

The adaptive thresholds in the basic splitting algorithm are negative, increasing to 0:

$$m_1 \leq m_2 \leq \dots \leq m_{T-1} \leq m_T = 0.$$

The resulting Gibbs sampler (in Step 3 of the basic splitting algorithm starting with a configuration $\mathbf{x} \in \mathcal{X}$ for which $S(\mathbf{x}) \geq m_t$) can be written as follows.

Algorithm 4.2 (Gibbs Algorithm for random graph sampling). *For each edge $x_i = 1$, while keeping all other edges fixed, do:*

1. Remove x_i from \mathbf{x} , i.e. make $x_i = 0$.
2. Check all possible placements for the edge resulting a new vector $\bar{\mathbf{x}}$ conditioning on the performance function $S(\bar{\mathbf{x}}) \geq m_t$
3. With uniform probability choose one of the valid realizations.

We will apply the splitting algorithm to two problems taken from [2].

4.2.1 A small problem

For this small problem we have the degree sequence

$$\mathbf{d} = (5, 6, \underbrace{1, \dots, 1}_{11 \text{ ones}}).$$

The solution can be obtained analytically and already given in [2]:

“To count the number of labeled graphs with this degree sequence, note that there are $\binom{11}{5} = 462$ such graphs with vertex 1 not joined to vertex 2 by an edge (these graphs look like two separate stars), and there are $\binom{11}{4} \binom{7}{5} = 6930$ such graphs with an edge between vertices 1 and 2 (these look like two joined stars with an isolated edge left over). Thus, the total number of realizations of \mathbf{d} is 7392.”

As we can see from Table 6, the algorithm easily handles the problem. Table 7 presents the typical dynamics.

Table 6: Performance of the splitting algorithm for a small problem using $N = 50,000$ and $\rho = 0.5$.

Run	nr. of its.	$ \widehat{\mathcal{X}^*} $	CPU
1	10	7146.2	15.723
2	10	7169.2	15.251
3	10	7468.7	15.664
4	10	7145.9	15.453
5	10	7583	15.555
6	10	7206.4	15.454
7	10	7079.3	15.495
8	10	7545.1	15.347
9	10	7597.2	15.836
10	10	7181.2	15.612
Average	10	7312.2	15.539

The relative error of $|\widehat{\mathcal{X}^*}|$ over 10 runs is $2.710E - 02$.

Table 7: Typical dynamics of the splitting algorithm for a small problem using $N = 50,000$ and $\rho = 0.5$ (recall Notation A at the beginning of Section 4).

t	$ \widehat{\mathcal{X}_t^*} $	N_t	$N_t^{(s)}$	m_t^*	m_{*t}	\hat{c}_t
1	4.55E+12	29227	29227	-4	-30	0.5845
2	2.56E+12	28144	28144	-4	-18	0.5629
3	1.09E+12	21227	21227	-6	-16	0.4245
4	3.38E+11	15565	15565	-4	-14	0.3113
5	7.51E+10	11104	11104	-4	-12	0.2221
6	1.11E+10	7408	7408	-2	-10	0.1482
7	1.03E+09	4628	4628	-2	-8	0.0926
8	5.37E+07	2608	2608	-2	-6	0.0522
9	1.26E+06	1175	1175	0	-4	0.0235
10	7223.9	286	280	0	-2	0.0057

4.2.2 A large problem

A much harder instance (see [2]) is defined by

$$\mathbf{d} = (7, 8, 5, 1, 1, 2, 8, 10, 4, 2, 4, 5, 3, 6, 7, 3, 2, 7, 6, 1, 2, 9, 6, 1, 3, 4, 6, 3, 3, 3, 2, 4, 4).$$

In [2] the number of such graphs is estimated to be about 1.533×10^{57} Table 8 presents 10 runs using the splitting algorithm.

Table 8: Performance of the splitting algorithm for a large problem using $N = 100,000$ and $\rho = 0.5$.

Run	nr. its.	$ \widehat{\mathcal{X}}^* $	CPU
1	39	1.66E+57	4295
2	39	1.58E+57	4223
3	39	1.58E+57	4116
4	39	1.53E+57	4281
5	39	1.76E+57	4301
6	39	1.75E+57	4094
7	39	1.46E+57	4512
8	39	1.71E+57	4287
9	39	1.39E+57	4158
10	39	1.38E+57	4264
Average	39	1.58E+57	4253

The relative error of $|\widehat{\mathcal{X}}^*|$ over 10 runs is $8.430E - 02$.

4.3 Binary Contingency Tables

Given are two vectors of positive integers $\mathbf{r} = (r_1, \dots, r_m)$ and $\mathbf{c} = (c_1, \dots, c_n)$ such that $r_i \leq n$ for all i , $c_j \leq m$ for all j , and $\sum_{i=1}^m r_i = \sum_{j=1}^n c_j$. A *binary contingency table* with row sums \mathbf{r} and column sums \mathbf{c} is a $m \times n$ matrix \mathbf{X} of zero-one entries x_{ij} satisfying $\sum_{j=1}^n x_{ij} = r_i$ for every row i and $\sum_{i=1}^m x_{ij} = c_j$ for every column j . The problem is to count all contingency tables.

The extension of the proposed Gibbs sampler for counting the contingency tables is straightforward. We define the configuration space $\mathcal{X} = \mathcal{X}^{(r)} \cup \mathcal{X}^{(c)}$ as the space where all column or row sums are satisfied:

$$\mathcal{X}^{(c)} = \left\{ \mathbf{X} \in \{0, 1\}^{m+n} : \sum_{i=1}^m x_{ij} = c_j \ \forall j \right\},$$

$$\mathcal{X}^{(r)} = \left\{ \mathbf{X} \in \{0, 1\}^{m+n} : \sum_{j=1}^n x_{ij} = r_i \ \forall i \right\}.$$

Clearly we can sample uniformly at random from \mathcal{X} without any problem. The score function $S : \mathcal{X} \rightarrow \mathbb{Z}_-$ is defined by

$$S(\mathbf{X}) = \begin{cases} -\sum_{i=1}^m |\sum_{j=1}^n x_{ij} - r_i|, & \text{for } \mathbf{X} \in \mathcal{X}^{(c)}, \\ -\sum_{j=1}^n |\sum_{i=1}^m x_{ij} - c_j|, & \text{for } \mathbf{X} \in \mathcal{X}^{(r)}, \end{cases}$$

that is, the difference of the row sums $\sum_{j=1}^n x_{ij}$ with the target r_i if the column sums are right, and vice versa.

The Gibbs sampler is very similar to the one in the previous section concerning random graphs with prescribed degrees.

Algorithm 4.3 (Gibbs algorithm for random contingency tables sampling). *Given a matrix realization $\mathbf{X} \in \mathcal{X}^{(c)}$ with score $S(\mathbf{X}) \geq m_t$. For each column j and for each 1-entry in this column ($x_{ij} = 1$) do:*

1. *Remove this 1, i.e. set $x'_{ij} = 0$.*
2. *Check all possible placements for this 1 in the given column j conditioning on the performance function $S(\mathbf{X}') \geq m_t$ (\mathbf{X}' is the matrix resulting by setting $x'_{ij} = 0$, $x'_{i'j} = 1$ for some $x_{i'j} = 0$, and all other entries remain unchanged).*
3. *Suppose that the set of valid realization is $\mathcal{A} = \{\mathbf{X}' | S(\mathbf{X}') \geq m_t\}$. (Please note that this set also contains the original realization \mathbf{X}). Then with probability $\frac{1}{|\mathcal{A}|}$ pick any realization at random and continue with step 1.*

Note that in this way we keep the column sums correct. Similarly, when we started with a matrix configuration with all row sums correct, we execute these steps for each row and swap 1 and 0 per row.

4.3.1 Model 1

The data are $m = 12, n = 12$ with row and column sums

$$\mathbf{r} = (2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2), \quad \mathbf{c} = (2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2).$$

The true count value is known to be 21,959,547,410,077,200. Table 9 presents 10 runs using the splitting algorithm. Table 10 presents a typical dynamics.

Table 9: Performance of the splitting algorithm for Model 1 using $N = 50,000$ and $\rho = 0.5$.

Run	nr.its.	$ \widehat{\mathcal{X}^*} $	CPU
1	7	2.15E+16	4.54
2	7	2.32E+16	4.55
3	7	2.23E+16	4.54
4	7	2.11E+16	4.58
5	7	2.05E+16	4.57
6	7	2.23E+16	4.54
7	7	2.02E+16	4.55
8	7	2.38E+16	4.58
9	7	2.06E+16	4.57
10	7	2.14E+16	4.55
Average	7	2.17E+16	4.56

The relative error of $|\widehat{\mathcal{X}^*}|$ over 10 runs is $5.210E - 02$.

Table 10: Typical dynamics of the splitting algorithm for Model 1 using $N = 50,000$ and $\rho = 0.5$.

t	$ \widehat{\mathcal{X}_t^*} $	N_t	$N_t^{(s)}$	m_t^*	m_{*t}	\hat{c}_t
1	4.56E+21	13361	13361	-2	-24	0.6681
2	2.68E+21	11747	11747	-2	-12	0.5874
3	1.10E+21	8234	8234	-2	-10	0.4117
4	2.76E+20	5003	5003	-2	-8	0.2502
5	3.45E+19	2497	2497	0	-6	0.1249
6	1.92E+18	1112	1112	0	-4	0.0556
7	2.08E+16	217	217	0	-2	0.0109

4.3.2 Model 2

Darwin's Finch Data from Yuguo Chen, Persi Diaconis, Susan P. Holmes, and Jun S. Liu: $m = 12, n = 17$ with row and columns sums

$$\mathbf{r} = (14, 13, 14, 10, 12, 2, 10, 1, 10, 11, 6, 2), \quad \mathbf{c} = (3, 3, 10, 9, 9, 7, 8, 9, 7, 8, 2, 9, 3, 6, 8, 2, 2).$$

The true count value is known to be 67, 149, 106, 137, 567, 600. Table 11 presents 10 runs using the splitting algorithm.

Table 11: Performance of the splitting algorithm for Model 2 using $N = 200,000$ and $\rho = 0.5$.

Run	nr. its.	$ \widehat{\mathcal{X}^*} $	CPU
1	24	6.16E+16	246.83
2	24	6.50E+16	244.42
3	24	7.07E+16	252.71
4	24	7.91E+16	247.36
5	24	6.61E+16	260.99
6	24	6.77E+16	264.07
7	24	6.59E+16	269.86
8	24	6.51E+16	273.51
9	24	7.10E+16	272.49
10	24	5.91E+16	267.23
Average	24	6.71E+16	259.95

The relative error of $|\widehat{\mathcal{X}^*}|$ over 10 runs is $7.850E - 02$.

5 Concluding Remarks

In this paper we applied the splitting method to several well-known counting problems, like 3-SAT, random graphs with prescribed degrees and binary contingency tables. While implementing the splitting algorithm, we discussed several MCMC algorithms and in particular the Gibbs sampler. We show how to incorporate the classic capture-recapture method in the splitting algorithm in order to obtain a low variance estimator for the desired counting quantity. Furthermore, we presented an extended version of the capture-recapture algorithm, which is suitable for problems with a larger number of feasible solutions. We finally presented numerical results with the splitting and capture-recapture estimators, and showed the superiority of the latter.

Acknowledgement

The authors are grateful to two anonymous referees for their comments and suggestions.

References

- [1] Blanchet, J. and Rudoy, D. (2009). “Rare-event simulation and counting problems”, in *Rare Event Simulation*, eds. G. Rubino and B. Tuffin, Wiley, pp.

171-192.

- [2] Blitzstein, J. and Diaconis, P. (2010). “A sequential importance sampling algorithm for generating random graphs with prescribed degrees”, *Internet Mathematics* 6, pp. 487-520.
- [3] Botev, Z.I. and Kroese, D.P. (2008). “An efficient algorithm for rare-event probability estimation, combinatorial optimization, and counting”, *Methodology and Computing in Applied Probability* 10, pp. 471-505.
- [4] Botev, Z.I. and Kroese, D.P. (2012). “Efficient Monte Carlo simulation via the generalized splitting method”, *Statistics and Computing* 22, pp. 1-16.
- [5] F. Cérou, F.C. and Guyader, A. (2007). “Adaptive multilevel splitting for rare event analysis”, *Stochastic Analysis and Applications* 25, pp. 417-443.
- [6] L’Ecuyer, P., Demers, V., and Tuffin, B. (2007). “Rare-events, splitting, and Quasi-Monte Carlo”, *ACM Transactions on Modeling and Computer Simulation* 17, issue 2, article 9.
- [7] Garvels, M.J.J. Garvels. (2000) *The splitting method in rare-event simulation*. Ph.D. thesis, University of Twente.
- [8] Gelman, A. and Rubin, D.B. (1992). “Inference from iterative simulation using multiple sequences (with discussion)”, *Statistical Science* 7, pp. 457-511.
- [9] Glasserman, P., Heidelberger, P., Shahabuddin, P., and Zajic, T. (1999). “Multilevel splitting for estimating rare event probabilities”, *Operations Research* 47, pp. 585600.
- [10] Gogate, V. and Dechter, R. (2007). “Approximate counting by sampling the backtrack-free search space”, in *Proceedings 22-nd Conference on Artificial Intelligence*, pp. 198-203.
- [11] Gomes, C.P., Sabharwal, A., and Salman, B. (2008). “Model Counting”, *Handbook of Satisfiability*, eds. A. Biere, M. Heule, H. van Maaren and T. Walsch, IOS Press.
- [12] Lagnoux-Renaudie, A. (2009). “A two-steps branching splitting model under cost constraint”, *Journal of Applied Probability* 46, pp. 429-452.
- [13] Melas, V.B. (1997). ”On the efficiency of the splitting and roulette approach for sensitivity analysis”, in *Proceedings of 1997 Winter Simulation Conference*, eds. D. Andradottir, K.J. Healy, D.H. Withers, and B.L. Nelson, pp. 269-274.
- [14] Papadimitriou, C.H. (1994). *Computational complexity*, Addison Wesley.
- [15] Rubinstein, R.Y. (2010). “Randomized algorithms with splitting: Why the classic randomized algorithms do not work and how to make them work”, *Methodology and Computing in Applied Probability* 12, pp. 1-50.

- [16] Rubinstein, R.Y. and Kroese, D.P. (2008). *Simulation and the Monte Carlo Method*, second edition, Wiley.
- [17] Seber, G.A.F. (1970). “The effect of trap response on tag recapture estimates”, *Biometrics* 26, pp. 13-22.
- [18] Valiant, L.G. (1979). “The complexity of computing the permanent”, *Theoretical Computer Science* 8, pp. 189-201.
- [19] Wei, W. and Selman, B. (2005). “A new approach to model counting”. In *Proceedings of SAT-05: 8th International Conference on Theory and Applications of Satisfiability Testing*, volume 3569 of “Lecture Notes in Computer Science”, St. Andrews, U.K, pp. 324-339.